

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 01/03/2012 Revision date: 21/04/2022 Supersedes version of: 04/02/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name : Mixture : Fix 30

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Consumer use,Professional useAdhesives, sealants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Fixtech Pty Ltd 1/20 Export Drive, Molendinar Queensland 4214 Australia T +61 7 5530 1099 www.fixtech.com

1.4. Emergency telephone number

Emergency number

: +61 7 5530 1099

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified Adverse physicochemical, human health and environmental effects To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

 EUH210 - Safety data sheet available on request.
 EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. (Except for black/brown/transparent product).

2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
trimethoxyvinylsilane (2768-02-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-(trimethoxysilyl)propylamine (13822-56-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
trimethoxyvinylsilane	CAS-No.: 2768-02-7 EC-No.: 220-449-8 EC Index-No.: 014-049-00-0 REACH-no: 01-2119513215- 52	≥1-<4	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Sens. 1B, H317
3-(trimethoxysilyl)propylamine	CAS-No.: 13822-56-5 EC-No.: 237-511-5 REACH-no: 01-2119510159- 45	≥1-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash skin with plenty of water. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth out with water. Consult a doctor/medical service if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
No additional information available	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : None known.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	 Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. 	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	any incompatibilities
Storage conditions	: Store at room temperature. Store in a dry area. Store in a well-ventilated place. Keep container closed when not in use.
Incompatible products	: Heat sources. Moisture.
Maximum storage period	: 1 year
Packaging materials	: Synthetic material.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

trimethoxyvinylsilane (2768-02-7)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	3,9 mg/kg bw/day

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute - systemic effects, inhalation 93,4 mg, Long-term - systemic effects, oral 0,3 mg/k	/kg bodyweight/day		
Acute - systemic effects, dermal26,9 mg,Acute - systemic effects, inhalation93,4 mg,Long-term - systemic effects, oral0,3 mg/k			
Acute - systemic effects, inhalation 93,4 mg, Long-term - systemic effects, oral 0,3 mg/k			
Long-term - systemic effects,oral 0,3 mg/k	/m ³		
	////		
· · · · · · · · · · · · · · · · · · ·	xg bw/day		
Long-term - systemic effects, inhalation 18,9 mg/	/m³		
Long-term - systemic effects, dermal 7,8 mg/k	xg bw/day		
PNEC (Water)			
PNEC aqua (freshwater) 0,4 mg/l			
PNEC aqua (marine water) 0,04 mg	Л		
PNEC aqua (intermittent, freshwater) 3,4 mg/l			
PNEC (Sediment)			
PNEC sediment (freshwater) 1,5 mg/k	g dwt		
PNEC sediment (marine water) 0,15 mg	/kg dwt		
PNEC (Soil)			
PNEC soil 0,06 mg	/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant 6,6 mg/l			
3-(trimethoxysilyl)propylamine (13822-56-5)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal 8,3 mg/k	g bodyweight/day		
Long-term - systemic effects, inhalation 58 mg/m	j ^a		
DNEL/DMEL (General population)			
Long-term - systemic effects, inhalation 17 mg/m	3		
Long-term - systemic effects, dermal 5 mg/kg	bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater) 0,33 mg	Λ		
PNEC aqua (marine water) 0,033 m	g/l		
PNEC aqua (intermittent, freshwater) 3,3 mg/l			
PNEC (Sediment)	PNEC (Sediment)		
PNEC sediment (freshwater) 1,2 mg/k	g dwt		
PNEC sediment (marine water) 0,12 mg	/kg dwt		
PNEC (Soil)			
PNEC soil 0,045 m	g/kg dwt		
PNEC (Oral)			
PNEC oral (secondary poisoning) 44,4 mg	/kg food		
PNEC (STP)			
PNEC sewage treatment plant 13 mg/l			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Solid
Colour	:	Variable.
Appearance	:	Pasty.
Odour	:	characteristic.
Odour threshold	:	Not available
Melting point	:	Not applicable
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Not applicable
Explosive limits	:	Not applicable
Lower explosion limit	:	Not applicable
Upper explosion limit	:	Not applicable
Flash point	:	> 100 °C
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	Not available
рН	:	Not available
pH solution	:	Not available
Viscosity, kinematic	:	Not applicable
Solubility	:	Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50 °C Density Relative density Relative vapour density at 20 °C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state	 Not available Not available Not available 1700 kg/m³ (20°C) 1,7 (20°C) Not applicable Not available
Particle specific surface area Particle dustiness	: Not available : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: < 2 % (<55.04 g/l)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal)	 Not classified Not classified Not classified
LD50 oral rat	7120 – 7236 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	3259 – 3880 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Converted value, Dermal, 14 day(s))

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

addition (vapours), 14 day(s)) 3-(trimethoxysilyl)propylamine (13822-56-5) LD50 oral rat 2,97 ml/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, day(s)) LD50 dermal rabbit 11,3 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Oral, day(s)) LC50 Inhalation - Rat [ppm] > 5 ppm (OECD 403; Acute Inhalation Toxicity, 6 h, Rat, Male, Read-across, Inhalati (vapours), 14 day(s)) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified. (On basis of test data. Skin sensitisation Not classified) Carcinogenicity : Not classified. Germ cell mutagenicity : Not classified. Carcinogenicity : Not classified. Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of Ge 422) NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) : 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of	trimethoxyvinylsilane (2768-02-7)	
LD50 oral rat 2.97 ml/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, day(s)) LD50 dermal rabbit 11,3 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat [ppm] > 5 ppm (OECD 403. Acute Inhalation Toxicity, 6 h, Rat, Male, Read-across, Inhalati (vapours), 14 day(s)) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (On basis of test data. Skin sensitisation Not classified) FixTech Floorfix 30 Skin Sensitisation (test on mixture), Skin, In vitro Skin Sensitisation (test on mixture), Skin, In vitro Not classified. Carcinogenicity : Not classified. Reproductive toxicity : Not classified trimethoxyvinylsilane (2768-02-7) NoAEL (animal/male, F0/P) NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-single exposure : Not classified	LC50 Inhalation - Rat	16,8 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Instrument of the second se	3-(trimethoxysilyl)propylamine (13822-56-5)	
Dermal, 14 day(s)) LC50 Inhalation - Rat [ppm] > 5 ppm (OECD 403: Acute Inhalation Toxicity, 6 h, Rat, Male, Read-across, Inhalati (vapours), 14 day(s)) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (On basis of test data. Skin sensitisation Not classified) FixTech Floorfix 30 Skin Sensitisation (test on mixture), Skin, In vitro Not sensitising (OECD 497) Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified. Repeated Dose and Reproductive toxicity : Not classified Reproductive toxicity : Not classified Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/male, F0/P) 200 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-single exposure : Not classified Stot repeated dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified Stot classified Sot classified Stot classified Sot classif	LD50 oral rat	2,97 ml/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
(vapours), 14 day(s)) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified FixTech Floorfix 30 Skin Sensitisation (test on mixture), Skin, In vitro Serious eye damage/irritation : Not classified Garm cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified TrimethoxyvinyIsilane (2768-02-7) Not classified NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-single exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Ro	LD50 dermal rabbit	11,3 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified. (On basis of test data. Skin sensitisation Not classified) FixTech Floorfix 30 Skin Sensitisation (test on mixture), Skin, In vitro Not sensitising (OECD 497) Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified : Not classified : Not classified Reproductive toxicity : Not classified : Not classified : Not classified trimethoxyvinyIsilane (2768-02-7) : Not classified : Not classified : Not classified NOAEL (animal/male, F0/P) : 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) : 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-repeated exposure : Not classified Stord - rat, 90 days) <td>LC50 Inhalation - Rat [ppm]</td> <td>> 5 ppm (OECD 403: Acute Inhalation Toxicity, 6 h, Rat, Male, Read-across, Inhalation (vapours), 14 day(s))</td>	LC50 Inhalation - Rat [ppm]	> 5 ppm (OECD 403: Acute Inhalation Toxicity, 6 h, Rat, Male, Read-across, Inhalation (vapours), 14 day(s))
Respiratory or skin sensitisation : Not classified. (On basis of test data. Skin sensitisation Not classified) FixTech Floorfix 30 Skin Sensitisation (test on mixture), Skin, In vitro Not sensitising (OECD 497) Germ cell mutagenicity : Not classified Carcinogenicity : Not classified. Reproductive toxicity : Not classified Reproductive toxicity : Not classified trimethoxyvinyIsIlane (2768-02-7) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/male, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-single exposure : Not classified 3-(trimethoxysilyI)propylamine (13822-56-5) E00 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) <td></td> <td></td>		
FixTech Floorfix 30 Skin Sensitisation (test on mixture), Skin, In vitro Not sensitising (OECD 497) Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified trimethoxyvinylsilane (2768-02-7) NOAEL (animal/male, F0/P) NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)	, ,	
Skin Sensitisation (test on mixture), Skin, In vitro Not sensitising (OECD 497) Germ cell mutagenicity : Not classified Carcinogenicity : Not classified. Reproductive toxicity : Not classified trimethoxyvinyIsilane (2768-02-7) Not sensitising (OECD 497) NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-repeated exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) Kot classified LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	· · ·	: Not classified. (On basis of test data. Skin sensitisation Not classified)
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified trimethoxyvinylsilane (2768-02-7) Not classified NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	FixTech Floorfix 30	
Carcinogenicity:Not classified.Reproductive toxicity:Not classified.trimethoxyvinylsilane (2768-02-7)NOAEL (animal/male, F0/P)1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422)NOAEL (animal/female, F0/P)250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422)STOT-single exposure:Not classifiedSTOT-repeated exposure:Not classified3-(trimethoxysilyl)propylamine (13822-56-5)600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)NOAEL (oral, rat, 90 days)200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)	Skin Sensitisation (test on mixture), Skin, In vitro	Not sensitising (OECD 497)
Reproductive toxicity : Not classified trimethoxyvinylsilane (2768-02-7) NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-repeated exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) MOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	Germ cell mutagenicity	: Not classified
trimethoxyvinylsilane (2768-02-7) NOAEL (animal/male, F0/P) 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-repeated exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	Carcinogenicity	: Not classified.
NOAEL (animal/male, F0/P)1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422)NOAEL (animal/female, F0/P)250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422)STOT-single exposure:STOT-repeated exposure:Not classified3-(trimethoxysilyl)propylamine (13822-56-5)LOAEL (oral, rat, 90 days)600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)NOAEL (oral, rat, 90 days)200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	Reproductive toxicity	: Not classified
Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) NOAEL (animal/female, F0/P) 250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : STOT-repeated exposure : STOT-repeated exposure : Stot classified : 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)	trimethoxyvinylsilane (2768-02-7)	
Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precurs Protocol of GL 422) STOT-single exposure : Not classified STOT-repeated exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)	NOAEL (animal/male, F0/P)	Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precursor
STOT-repeated exposure : Not classified 3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)	NOAEL (animal/female, F0/P)	Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precursor
3-(trimethoxysilyl)propylamine (13822-56-5) LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents)	STOT-single exposure	: Not classified
LOAEL (oral, rat, 90 days) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose Day Drait Toxicity in Rodents)	STOT-repeated exposure	: Not classified
Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose	3-(trimethoxysilyl)propylamine (13822-56-5)	
	LOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
	NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
Aspiration hazard : Not classified	Aspiration hazard	: Not classified

No additional information available

SECTION 12: Ecological information

-	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	: Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

trimethoxyvinylsilane (2768-02-7)		
LC50 - Fish [1]	191 mg/l (96 h, Oncorhynchus mykiss, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	168,7 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 algae	> 89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
NOEC chronic algae	89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
3-(trimethoxysilyl)propylamine (13822-56-5)	·	
LC50 - Fish [1]	> 934 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	331 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	603 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
12.2. Persistence and degradability		
trimethoxyvinylsilane (2768-02-7)		
Persistence and degradability	not readily degradable in water.	
3-(trimethoxysilyl)propylamine (13822-56-5)	·	
Persistence and degradability	not readily degradable in water.	
12.3. Bioaccumulative potential		
trimethoxyvinylsilane (2768-02-7)		
Partition coefficient n-octanol/water (Log Pow)	1,1 (QSAR, KOWWIN, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
3-(trimethoxysilyl)propylamine (13822-56-5)		
Partition coefficient n-octanol/water (Log Pow)	0,2 (QSAR, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		
trimethoxyvinylsilane (2768-02-7)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,811 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	
3-(trimethoxysilyl)propylamine (13822-56-5)		
Ecology - soil	No data available.	
12.5. Results of PBT and vPvB assessment		
FixTech Floorfix 30		
The product does not meet the PBT and vPvB classification criteria		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)
Waste treatment methods
Sewage disposal recommendations
Ecology - waste materials
European List of Waste (LoW) code

- : Non hazardous waste.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Do not discharge into drains or the environment.
 - : Avoid release to the environment.
 - : 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
 - 15 01 02 plastic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea

Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content

: < 2 % (<55.04 g/l)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878		
2.2		Modified	
3.2		Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. (Except for black/brown/transparent product)
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU-20212

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.