



# **SAFETY DATA SHEET**

# **Fix8 Silicone Sealant**

### **1. Identification**

- **1.1 Identification of the substance or preparation:** Product Name: Fix8 Silicone Sealant
- **1.2 Use of substance or preparation:** Sealant
- **1.3 Company undertaking identification:** Fixtech Pty Ltd – Fixtech Marine Solutions Unit 1/20 Molendinar, Queensland 4214 Tel: +61 7 5530 1099 Email: info@fixtech.com.au
- **1.4 Emergency telephone:** +61 7 5530 1099

### 2. Hazard(s) identification

Emergency Overview Appearance Colour: Coloured, see technical data sheet Form: Paste Physical state: Solid Odour: Faint Hazard statement(s): - May cause an allergic skin reaction - Suspected of damaging fertility

#### GHS classification of substance or mixture, and national or regional information

#### **Health Hazards**

### Product: Fix8 Neutral Cure Silicone Sealant

Skin sensitiserCategory 1Toxic to reproductionCategory 2

GHS Label Elements Hazard Symbol(s)





# **SAFETY DATA SHEET**

# **Fix8 Silicone Sealant**



Signal word: Hazard statement:

Warning

- May cause an allergic skin reaction

- Suspected of damaging fertility

Hazard category	Hazard statement	Signal word	Symbol Exclamation Mark
4	H302 Harmful if swallowed		
2	H315 Cause skin irritation	]	r
2A	H319 Cause serious eye irritation	Warning	
4	H332 Harmful if inhaled	-	
2	H361 Suspected of damaging fertility or the unborn child	Warning	

Precautionary statement(s): Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust. Contaminated work clothing should not be allowed out of the workplace. If exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of **Response:** water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Storage: Store locked up Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None

Supplemental Information: None

### 3. Composition/information on ingredients

Chemical nature: Mixture of polydimethylsiloxanes, fillers, and cross-linkers.





# **SAFETY DATA SHEET**

# **Fix8 Silicone Sealant**

CAS#	Chemical Name	Content in percent (%)*
63148-60-7	hydroxy-terminated dimethyl siloxane	45~48
63148-62-9	silicone oil	<5
471-34-1	Nano-Calcium carbonate	40~45
22984-54-9	Methyltris(methylethylketoxime)silane	<5
2224-33-1	Vinyltris(methylethylketoxime)silane	<3
919-30-2	3-aminopropyltriethoxysilane	<0.2
2530-83-8	3-giycidoxypropyltrimethoxysilane	<0.3
556-67-2	Octamethylcyclotetrasiloxane	<0.1
77-58-7	Dibutyltin dilaurate	<0.05
13463-67-7	Titanium Dioxide	<2.5

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First aid measures

#### After inhalation:

- Remove the victim to fresh air
- Respiratory difficulties: consult a doctor/ seek medical advice

#### Skin contact:

- Rinse with water
- Soap may be used
- Seek medical advice if irritation persists

#### Eye contact:

- Immediately flush with water for 15 minutes
- Seek medical advice if irritation persists

#### After ingestion:

- Rinse mouth with water. DO NOT induce vomiting
- Seek medical advice





# **SAFETY DATA SHEET**

## **Fix8 Silicone Sealant**

Personal Protection for First Aid Responders:	No data available
Most important symptoms/effects, acute and delayed Symptoms: Hazards:	: No data available No data available
<b>Notes to physician:</b> Treatment:	No data available
5. Firefighting measures	

**General Fire Hazards:** Remove sources of combustibles. Extinguish the fire using firefighting media listed below. Cool surrounding tanks and buildings and so on by spraying water to prevent the fire spreading. Firefighting should be done from the windward side, with suitable respiratory protective device worn if necessary.

Means of extinguishing the fire: Unsuitable extinguishing media: Specific hazards arising from the chemical: Special firefighting procedures:	Extinguish with foam, carbon dioxide or dry powder. No data available No data available Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding
Special protective equipment for firefighters:	procedures. Wear self-contained breathing apparatus and protective clothing.

6. Accid	lental r	elease	measures

**Emergency procedures:** Keep up wind. DO NOT allow runoff to enter sewer, waterway, or ground

#### **Containment/clean up:**

Put in an empty container for recovery after preventing spill by sand or sandbags, if the amount of spill is large. Put in an empty container for recovery after wiping or soaking up in an inert material, if the amount of spill is small.

Notification procedures	Remove sources of ignition

7. Handling and storage	
Precautions for safe handling:	Wear appropriate personal protective equipment. Keep away from sources of ignition - No smoking. Avoid inhalation of vapours and spray mists. Use only with adequate ventilation.
Conditions of storage: including any incompatibilities	Store at room temperature in a low moisture, dark, cool place. Keep container closed.





# **SAFETY DATA SHEET**

## **Fix8 Silicone Sealant**

### 8. Exposure controls/personal protection

#### **Personal Protective Equipment:**



#### **Control Parameters:**

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

Occupational exposure limits:	None of the components have assigned exposure limits
Biological Limit values:	None of the components have assigned exposure limits
Appropriate engineering controls:	Use only in well ventilated areas
Individual protection measures: - Eye protection	Safety glasses with side shields
Skin protection:	<b>Rubber or plastic gloves</b>
- Hand protection	Gas mask for organic gas if MEKO exposure limits are exceeded 3ppm 8-
- Respiratory protection	hr TWA, recommended workplace exposure guideline.
Other hygiene measures:	Chemical resistant clothing and safety shoes Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat, drink, or smoke.

### 9. Physical and Chemical Properties

General information:		
Physical State:	Solid	
Physical Form:	Paste	
Colour:	Coloured	
Odour:	Faint	
Odour threshold:	No data available	
pH:	No data available	
Freezing/Melting point:	Not applied	
Boiling point:	Not applied	
Flash Point:	81°C	
Evaporation Rate:	No data available	
Flammability (solid, gas):	No data available	
Density:	1.34 g/cm <sup>3</sup> (23 <sup>0</sup> C)	
Solubility in Water:	Insoluble	
Partition coefficient (n-octanol/water) Log:		





# SAFETY DATA SHEET

## **Fix8 Silicone Sealant**

POW: Auto ignition temperature: Decomposition temperature: SADT: Viscosity, Dynamic: Viscosity, Kinematic: **Specific Gravity:** 

No data available 450°C No decomposition if stored and applied as directed No data available No data available No data available No data available

#### Note: the above information is not intended for use in preparing product specifications

### **10. Stability and reactivity**

#### **Stability:**

Stubility	
Chemical Stability:	Stable
Hazardous Reactions:	No data available
Reactivity:	
Conditions to avoid:	Keep away from heat, sparks, and open flame.
Materials to Avoid:	Oxidizing material can cause a reaction. Water, moisture, or humid air can cause hazardous vapours to form as described in Section 8
Hazardous Decomposition:	

Reacts with water/moisture liberating methylethylketoxime (MEKO) = 2 Butanone-oxime. This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard.

Other Information:

No data available

### **11. Toxilogical information**

**General information:** Experience has shown that the above-mentioned product can be used without any danger to health, as long as the usual conditions of industrial hygiene are observed.

#### Information on likely routes of exposure:

- Inhalation: No data available
- Skin Contact: No data available
- Eye Contact: No data available No data available
- Ingestion:

#### Symptoms related to the physical, chemical, and toxicological characteristics:

- Inhalation No data available - Skin contact: No data available
- Eve Contact: No data available
- Ingestion: No data available





# **SAFETY DATA SHEET**

# **Fix8 Silicone Sealant**

Information on toxicological effects Acute toxicity Oral Product: Specified substance(s): Aminoethyl aminopropyl trimethoxy silane

Octamethylcyclotetrasiloxane

Dermal Product: Specified substance(s): Aminoethyl aminopropyl trimethoxy silane Octamethylcyclotetrasiloxane

Inhalation Product: Specified substance(s): Octamethylcyclotetrasiloxane

Repeated Dose Toxicity Product: Specified substance(s): Aminoethyl aminopropyl trimethoxy silane

Skin Irritation Product:

Serious Eye Damage/Eye Irritation Product: Specified substance(s) Aminoethyl aminopropyl trimethoxy silane

Octamethylcyclotetrasiloxane

Respiratory or Skin Sensitisation Product:

Carcinogenicity Product:

Germ Cell Mutagenicity in Vitro Product: Specified substance(s): Octamethylcyclotetrasiloxane No data available

LD 50 (Rat): 2995 mg/kg

LD 50 (Rat): 4800mg/kg LD 50 (Mouse): 1700mg/kg

No data available

LD 50 (Rabbit): >2000mg/kg LD 50 (Rat): 2400mg/kg

No Data available

LD (Rat, 4H): 12.1 mg/l LC (Rat, 4H): 36mg/l

No data available

NOAEL (Rat, Oral, 28D): >=500mg/kg

No data available

No data available

OECD Test Guideline 405 (Rabbit): Strongly irritating.

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Not irritating

Causes sensitization on guineapigs. No human information is available.

No data available

No data available

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella





# **SAFETY DATA SHEET**

## **Fix8 Silicone Sealant**

In Vivo Product: Specified substance(s): Octamethylcyclotetrasiloxane	<ul> <li>typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guidline 476) (Mouse Lymphoma Assay (OECD Guidline 476)): negative (not mutagenic)</li> <li>No data available</li> <li>Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative</li> </ul>
Reproductive Toxicity Product:	No data available
Specific Target Organ Toxicity - Single Exposure Product:	No data available
Specific Target Organ Toxicity - Repeated Exposure Product:	No data available
Aspiration Hazard Product:	No data available

#### **Other Effects:**

- Toxicity of methyl ethyl ketoxime (MEKO) liberated when the material is in touch with water or moisture in the air, or the material is curing. SKIN CONTACT: May cause mild skin irritation. EYE CONTACT: Causes severe eye irritation may damage tissue. ACUTE ORAL TOXICITY: LD50 = 4ml/kg (rat). ACUTE INHALATION: 4-hr LC50 = > 4.8mg/l (rat). INHALATION TOXICITY: Narcotic (central nervous system) effects in high concentrations. Effects were reversible when exposure was ended. Prolonged overexposure causes adverse effects on the blood. SKIN SENSITIVITY: Positive (guinea pig). No allergic reaction to humans. CARCINOGENICITY: A lifetime (about two years) inhalation study in male and female mice and rats revealed that liver tumours were observed in male mice and rats at a high exposure level of 375 ppm. OTHER LONG TERM EXPOSURE TESTS: Atrophy of nasal epithelium cells was observed in both mice and rats at all concentrations. The effect appeared reversible at lower concentrations. PERMISSIBLE CONCENTRATION: TWA 3 ppm (supplier's recommended value), Keep well ventilated (STEL 10 ppm or less). The WEEL recommended value of AIHA is TWA 10 ppm.

### 12. Effects on the environment

#### Ecotoxicity

Acute hazards to the aquatic environment Fish Product: Specified substance(s): Aminoethyl aminopropyl trimethoxy silane

No data available

LC50 (Lepomis macrochirus): > 100 mg/l





# **SAFETY DATA SHEET**

## **Fix8 Silicone Sealant**

Aquatic Invertebrates Product: Specified substance(s) Aminoethyl aminopropyl trimethoxy silane	No data available EC50 (Daphnia magna, 48 h): 87.4 mg/l
Chronic hazards to the aquatic environment Fish Product: Aquatic Invertebrates	No data available
Product: Toxicity to Aquatic Plants Product: Persistence and Degradability	No data available No data available
Biodegradation Product: BOD/COD Ratio Product:	No data available No data available
Bio Accumulative Potential Bioconcentration Factor (BCF) Product: Partition Coefficient n-octanol / water (log Kow) Product:	No data available No data available
Mobility Mobility in Soil:	No data available
Known or predicted distribution to environmental compartments methyl tris-(methyl ethyl ketoximo) silane butanone oxime vinyl silane Aminoethyl aminopropyl trimethoxy silane Octamethylcyclotetrasiloxane Other adverse Effects	No data available No data available No data available No data available No data available

## 13. Disposal considerations

Disposal Methods	Do not discharge into drains or the environment, dispose to an authorised collection point
Disposal instructions:	State or local laws may impose additional regulatory requirements regarding disposal.
Contaminated Packaging:	Do not discharge into drains or the environment, dispose to an authorised collection point State or local laws may impose additional regulatory requirements regarding disposal.





# **SAFETY DATA SHEET**

## **Fix8 Silicone Sealant**

## 14. Transport information

Classification of the substance in accordance with UN recom	menda	tions
UN Number	:	Not Applicable
CLASS	:	-
PACKAGING GROUP	:	-
ADR (transport by road)		
CLASS		Not subject/Not regulated
PACKAGING GROUP		-
CLASSIFICATION CODE		-
DANGER LABEL TANKS		-
DANGER LABEL PACKAGES		-
PROPER SHIPPING NAME	:	-
RID (transport by rail)		
CLASS		Not subject/Not regulated
PACKAGING GROUP		-
CLASSIFICATION CODE		-
DANGER LABEL TANKS		-
DANGER LABEL PACKAGES		-
PROPER SHIPPING NAME	:	-
ADNR (transport by inland waterways)		
CLASS	:	Not subject/Not regulated
PACKAGING GROUP	:	-
CLASSIFICATION CODE		-
DANGER LABEL TANKS		-
DANGER LABEL PACKAGES		-
IMDG (maritime transport)		
CLASS		Not subject/Not regulated
SUB RISKS	:	-
PACKAGING GROUP	:	-
MFAG	:	-
EMS	:	-
MARINE POLLUTANT	:	-
ICAO (air freight)		
CLASS	:	Not Subject/Not regulated
SUB RISKS		-
PACKAGING GROUP		-
PACKAGING INSTRUCTIONS PASSENGER AIRCRAFT		-
PACKAGING INSTRUCTIONS CARGO AIRCRAFT		-
PROPER SHIPPING NAME		-

### **Special precautions:**

Keep separated from foodstuffs, animal feed, and odour sensitive materials





# **SAFETY DATA SHEET**

# **Fix8 Silicone Sealant**

## **15. Regulatory information**

#### **National Regulations**

The following regulations, rules or standards set forth the requirement for the classification, labelling, use, handling, storage, and transportation of chemicals.

Regulations on Safety Administration of Hazardous Chemicals, Decree No.591 of the State Council

Catalogue of Hazardous Chemicals (2015 Version)

Regulation of Safety Use Chemicals at Workplace

Regulations on Labour Protection in Workplaces Where Toxic Products Are Used

#### **Europe**:

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.
Octamethylcyclotetrasiloxane	556-67-2

GB/T 16483: #Safety data sheet for chemical products - Content and order of sections#

GB/T 17519: Guidance on the compilation of safety data sheets for chemical products

GB 15258:#General rules for preparation of precautionary label for industrial chemicals#

GB 30000.2 ~ GB 30000.29: Rules for classification and labelling of chemicals

GB 13690:#General rule for classification and hazard communication of chemicals# GB 12268:#List of dangerous goods# GB 6944:#Classification and code of dangerous goods#

GB 190 #Labels for packages of dangerous goods#

GBZ 2.1#Occupational Exposure Limits for Hazardous Agents in the Workplace, Part 1, Chemical Hazardous Agents #

International regulations Montreal Protocol - not applicable Stockholm convention - not applicable Rotterdam Convention - not applicable Kyoto Protocol - not applicable

Inventory Status: Australia AICS: EU EINECS List: China Inventory of Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI): Philippines PICCS:

y (positive listing) y (positive listing) y (positive listing)

y (positive listing)

y (positive listing)





# **SAFETY DATA SHEET**

## **Fix8 Silicone Sealant**

US TSCA Inventory: New Zealand Inventory of Chemicals: Taiwan. Taiwan inventory (CSNN): y (positive listing) y (positive listing) y (positive listing)

### 16. Other information

Issue Date:March 2015Revision Date:23/02/2022

References: No data available

Further Information: "Wear eye, hand and respiratory protection when in handling." The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This data completes the technical datasheet for use but does not replace it. The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements.

The data does not signify any warranty with regards to the products properties.

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates on to the specific material designated and may not be valid for such material used in combination with other material or in any process, unless specified in the text.