

Australian Made



# NORGLASS

Specialty Finishes

Australian Owned

## 2020

# SURFACE COATINGS CATALOGUE

NORGLASS is proud to sponsor David & Ken Warby and the Spirit of Australia II, with SHIPSHAPE and NORTHANE being used on the vessel for their upcoming attempt at the world water speed record.



River tables are a popular use of LIQUID GLASS with COLOURANTS. Wood with natural imperfections can be filled with liquid glass and added colourant, creating a table limited only by your imagination.

[norglass.com.au](http://norglass.com.au)



## ABOUT NORGLASS

### AUSTRALIAN MADE - FAMILY OWNED

**NORGLASS** manufacturing over the past four decades have developed a comprehensive range of paints and surface treatment products that are simply... **“the best of the best”**. Each raw material is selected for its performance characteristics, not the price. The management philosophies decree that **quality is the path to success** - not quantity.

**NORGLASS** is an Australian owned family business and is committed to giving value for money down under.

## LIQUID GLASS METALLICS

**NORGLASS** has a great range of **METALLIC POWDER PIGMENTS** which are a great addition to the colourant range for our popular product **LIQUID GLASS**.

Customers are not just limited with a pour on crystal-clear filler, but can add one of 9 **METALLIC POWDER PIGMENTS**. Look out for our new packaging and colour range.

**LIQUID GLASS COLOURANT** is also available in colours: **RED, BLACK, BLUE, GREEN** or **YELLOW** – or combine them for a fully customised colour.

**LIQUID GLASS COLOURANTS** and **METALLICS** are perfect for tables, floors, art pieces, jewellery, fishing lures and wherever else your imagination may take you.

**SIZES:** COLOURANTS: 50ml  
METALLICS: 20g

### BEFORE STARTING YOUR PROJECT...

#### FOLLOW THESE PROCEDURAL STEPS:

1. Go to [norglass.com.au](http://norglass.com.au)
2. Download the relevant Surface Information Guide (SIG) and highlight all the products mentioned.
3. Download data sheets on the products mentioned in the SIG. Highlight important details, such as coverage rates, thinning ratios, drying times and mixing statements etc.
4. Note the product sizes available.

Finally, after researching the above information, make some notes on specific questions you may have and call **NORGLASS INFORMATION SERVICE** on (02) 9708 2200.



### LIQUID GLASS COLOURANT PROJECT

Use **LIQUID GLASS** with **COLOURANTS** or our new **METALLICS** range to create one of a kind tabletops, trays or benchtops. Finish with **NORTHANE CLEAR** for a chemical resistant and food grade coating.



## FILLERS | GLUES | RESINS

### STAYBOND EPOXY GLUE

Easy to use 2 pack glue. Solventless and non-staining with exceptional strength. Bonds to most prepared surfaces: timber, metals, fibreglass, concrete, fibro, ceramics and glass. It is totally waterproof when cured. Excellent gap filling and non-sagging characteristics. **COLOUR:** Cream when mixed. **SIZES:** 38kg, 7.6kg, 3.8kg, 1.9kg, 950g, 470g & 200g packs. **MIXING RATIO:** 1:1 by volume.



### NORSYSTEM BOAT EPOXY RESIN

A clear waterproofing epoxy resin for the boat building and surfing industries. Solventless and non-shrinking. Can be extended with **NORGLASS MICROTALC**, or where weight saving is important, **NORCELLS BLENDED EXTENDER**. **NORSYSTEM RESIN** can be used as a flexible sealer where a clear finish is desired. Ideal as a reinforcing resin for fibreglass, Dynel and other composites. Base and hardeners are supplied in colour coded packs to avoid confusion. There are options for slow or fast hardeners to cater for local temperature conditions.



**NORSYSTEM RESINS are certified by Lloyds of Germany.**

**COLOUR:** Clear  
**SIZES:** 24 litre, 6 litre, 3 litre & 1 litre packs.  
**MIXING RATIO:** 3:1 by volume.  
*Extenders for NORSYSTEM are shown on page 10*

### NORSYSTEM PUMP

Handy pump for **NORSYSTEM** - fits **BASE** or **HARDENER**. Fits a standard 4cm bottle thread.



### LIQUID GLASS EPOXY RESIN

Solventless, water-clear pour-on gloss finish for bar and table tops. Gives a “clear liquid coating” that can be used for découpage applications. Other uses are for filling timber surface irregularities prior to clear finishing. Excellent adhesion, flexibility and abrasion resistance. **COLOUR:** Water-clear when mixed. **SIZES:** 30 litre, 15 litre, 6 litre, 3 litre, 1.5 litre & 750ml packs. **MIXING RATIO:** 2:1 by volume. **APPLY:** Brush, roller, squeegee or pour on.



### NORFILL EPOXY FILLER

A paste-like white, waterproof filler that can be sanded and left as a finish, or painted over. It has excellent non-sagging properties so that even large cracks or holes can be filled in one application. **NORFILL** is solventless and does not shrink, making it the perfect filler where strength and adhesion is important. May be applied to all prepared surfaces and will not react with other coatings or treatments. The finished product can be drilled and tapped where desired. **COLOUR:** White. **SIZES:** 4kg, 2kg, 1kg, 500g & 250g packs. **MIXING RATIO:** 2:1 by volume.



### NORFLEX EPOXY FILLER

A lighter more flexible version of **NORFILL** for large areas of cosmetic filling where movement and flexing are important. Offers a 25% weight saving by mass over **NORFILL**. Superb gap filling and sanding qualities. **COLOUR:** Cream when mixed. **SIZES:** 3kg & 750g packs. **MIXING RATIO:** 2:1 by volume.



### USEFUL TIPS

*Epoxies are heat generating in the cure process and require temperatures above 10°C. In the cold weather pre-heating the unmixed components in hot water will assist with the cross-linking. Using more hardener than specified usually softens the outcome.*

### POLYESTER RESIN

General purpose waxed fibreglassing resin. Ideal for waterproofing shower bases, roof guttering, boat and caravan repairs. Requires **NORGLASS POLYESTER RESIN CATALYST** for curing (see below). **COLOUR:** Blue, but cures to a hazy amber colour. **SIZES:** 20 litre, 4 litre, 2 litre, 1 litre, 500ml & 250ml. **MIXING RATIO:** 1-4% by volume of **CATALYST**. **APPLY:** Brush or roller.



### POLYESTER RESIN CATALYST

Reactive agent used to promote the setting (curing) of **NORGLASS POLYESTER** products (see above). **SIZES:** 500ml, 80ml, 40ml & 20ml. **MIXING RATIO:** 1-4% by volume of **RESIN**. **APPLY:** Brush or roller.



VISIT OUR WEBSITE HOW TO PAGE TO SEE OUR FULL INSTRUCTIONAL VIDEO ON HOW TO USE LIQUID GLASS TO MAKE A RIVER TABLE.

[norglass.com.au](http://norglass.com.au)

### AREA FORMULA

1 mixed litre = 1,000 cubic cm  
Therefore 1 sq. metre @ 1mm thick = 1 litre



## SEALERS | PRIMERS | UNDERCOATS

### NORSEAL WOOD TREATMENT

Low viscosity epoxy solution designed to penetrate, seal and waterproof particle boards and timbers. Recommended to be overcoated with a primer such as SHIPSHAPE within 4 weeks of application. In permanently shaded areas NORSEAL can alternatively be coated with a clear finish.  
COLOUR: Clear when mixed.  
SIZES: 40 litre, 8 litre, 4 litre, 2 litre, 1 litre & 500ml packs.  
MIXING RATIO: 1:1 by volume.  
APPLY: Brush or roller.



### NoRUST ALL SURFACE PRIMER

Very fast drying stain blocking and sealing primer, with excellent inhibiting pigments for ferrous and non-ferrous metals. Because of its outstanding adhesion to almost every surface NoRUST is the preferred multi-purpose coating for most paint systems. 20 minute drying - rapid recoating.



**Not suitable for areas of continuous immersion.**

COLOURS: Red, white & grey.  
SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml, 250ml & 100ml (white).  
APPLY: Brush, roller or spray.

### USEFUL TIPS

Surface preparation is essential for good results. Clean the surface before sanding. Then wipe with NORCLEAN-PLUS prior to coating. Normally a light sanding should be done to promote better adhesion. When using SHIPSHAPE PRIMER-UNDERCOAT a minimum of 24 hours must elapse before overcoating with NORTHANE or other NORGLASS products. The use of blue masking tape produces the best results with the NORGLASS paint range.



### SHIPSHAPE PRIMER-UNDERCOAT

The **ultimate** high-build performance epoxy coating to obliterate background irregularities and provide filling properties prior to coating with single or 2 pack finishes. Suitable for areas of continuous immersion and osmosis repairs. Commonly used as a primer-undercoat for non-ferrous metals and as a topcoat in the bilge area of boats because of its satin gloss finish. SHIPSHAPE is the preferred primer for fibreglass.  
COLOURS: White & grey.  
SIZES: 10 litre\*, 4 litre, 2 litre, 1 litre & 500ml packs.  
MIXING RATIO: 3:1 by volume.  
APPLY: Brush, roller or spray. \*10 litre in white only



### WEATHERFAST PRI-COAT

**Primes as it undercoats.** A heavy-bodied low odour primer and undercoat combined. For use on timbers and wall cladding. It is fine textured for easy sanding and provides a dense off-white colour for fast finishing.  
COLOUR: Off-white.  
SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml, 250ml & 100ml.  
APPLY: Brush, roller or spray.



### NORSHIELD ANTI-CORROSIVE PRIMER

Red oxide primer for ferrous metals such as steel, iron and wrought iron. Bound into a high strength 2 pack epoxy resin coating for maximum durability. Ideal for all steel surfaces from high rise to underwater use. Excellent film build characteristics.  
COLOUR: Red oxide.  
SIZES: 4 litre, 1 litre & 500ml packs.  
MIXING RATIO: 3:1 by volume.  
APPLY: Brush, roller or spray.



### NORTHANE TESTIMONIAL

Received 17/01/2016  
"Hey Norglass, Just a quick message to say thank you for the excellent product range that works really well."

*I have just completed chopping out rot from around my window frames and weather boards at home. A friend put me on to your NORSEAL EPOXY WOOD TREATMENT which was so easy to use. I then completed the works with 2 pack NORFILL EPOXY FILLER. Both products are world class and even better that they are made here in Australia. Your online information was excellent, as are the instructions about how to use the products. Please pass on my thanks to your team in Punchbowl. Best Regards, Peter Duncan"*


### USEFUL TIPS

A mohair roller and good quality brushes will produce excellent results. If spraying, most NORGLASS products require the P.S.I to be higher due to the greater volume of solids used. Refer to the PRODUCT DATA SHEET, available at [norglass.com.au](http://norglass.com.au), before applying. Wet on wet techniques dictate that the applied coating has set up enough to support the weight of the next coat. This is determined by the stickiness of the previous coat on the masking tape.

## INTERIOR | EXTERIOR GLOSS FINISHES

### WEATHERFAST PREMIUM ENAMEL AND NORTHANE STANDARD COLOUR RANGE

Unlimited range of custom factory colours can be created for NORTHANE upon request (extra fee applies). True colours are shown on the can lids.



### WEATHERFAST PREMIUM ENAMEL

Front Door in Bowral, NSW with 2 coats of WEATHERFAST PREMIUM ENAMEL in PORT WINE applied with a brush.



### SHIPSHAPE & NORTHANE

Sonex kit plane (left) prepared with SHIPSHAPE and finished in NORTHANE (Fleet Red).





## INTERIOR | EXTERIOR ACRYLIC FINISHES

### WEATHERFAST GLOSS ACRYLIC

- Same superior WEATHERFAST quality
- 22 great colours incl. BLACK and WHITE
- Available in 250ml & 100ml sizes

AVAILABLE IN  
**GOLD AND SILVER**



#### OUR EXTENSIVE WEATHERFAST RANGE

We have a quality **NORGLASS WEATHERFAST** product for almost every surface. Interior, exterior, decking, gloss, satin, thinners, acrylics and more - look out for **WEATHERFAST TIMBER OIL** and **WEATHERFAST PRI-COAT**. All **WEATHERFAST** products are low odour and user friendly.



#### WEATHERFAST PREMIUM ENAMEL TINY TIN RANGE

- Now available in 20 great colours including BLACK and WHITE.
- 250ml & 100ml sizes only.



LOOK - the colour's  
on the lid!

### NORGLASS PAVING PAINT

Rapidly becoming the product of preference in Australia, **NORGLASS SLIP RESISTANT PAVING PAINT** was awarded a slip rating of **P5** in recent testing by Nata Accredited Slipstest.

**NORGLASS SLIP RESISTANT PAVING PAINT** is suitable for:

- External pavements, ramps, driveways and carports \*
- Hotels, offices, public buildings, schools & kindergartens
- Supermarkets and shopping centres
- Swimming pool ramps, surrounds and stairs
- Sporting facilities, change rooms and concourses
- Hospitals and aged care facilities \*

\*NOTE: For gradients greater than 1 in 12 contact NORGLASS before applying.



Central Coast Grammar School 2 coats of SR PAVING PAINT in PEWTER with SAFETY YELLOW strips on their stairs. The hand rail is coated in NORTHANE for food & chemical resistance.

## PAVING PAINT

### NORGLASS LOW SHEEN PAVING PAINT IN SLIP RESISTANT AND SMOOTH FINISHES

True colours and textures are shown on the can lids. Also available in CLEAR. SMOOTH only available in 5 colours\*.



- Fast drying
- Easy to use
- No mixing
- Ready to use
- Uniform finish
- Hard wearing
- Available in 10 litre, 4 litre & 1 litre sizes.



#### NORGLASS PAVING PAINT

This Brisbane (QLD) family coated their driveway and paths with NORGLASS SLIP RESISTANT PAVING PAINT in terracotta.





## SELECT THE RIGHT THINNER FOR THE RIGHT PRODUCT

### WEATHERFAST + WEATHERFAST THINNERS




### NORTHANE + NORTHANE THINNERS

NORTHANE THINNERS can also be used with SHIPSHAPE PRIMER-UNDERCOAT




### TOPFLIGHT ANTI-FOULING


The **premium** longlife copper coating designed to prevent the attachment of marine growth. True colours are shown on the can lids.



RED




BLACK




BLUE

### WEATHERFAST SLIP RESISTANT DECK PAINT


True colours and textures are shown on the can lids.



SHORELINE CREAM




HORIZON BLUE




SQUALL GREY




MISTY GREY



CREAM



ARCTIC WHITE



SEASHELL

## FINISH COATS

### NORTHANE ULTRA HIGH GLOSS

The premium finish 2 pack linear polyurethane for durability and fade resistance. Excellent chemical resistant, foodsafe, waterproofing and weathering properties. Ideal for refurbishing most surfaces. Home, leisure, commercial industrial and automotive. Unlimited range of factory colours upon request (extra fee applies).  
COLOURS: 17 standard plus black & white.  
SIZES: 10 litre, 4 litre, 2 litre\*, 1 litre & 500ml packs.  
MIXING RATIO: 2:1 by volume.  
APPLY: Brush, spray or roller (volume solids 63%).  
\*2 litre size only available in white.



### WEATHERFAST PREMIUM GLOSS

Modified polyurethane low odour paint to produce the highest quality marine grade gloss enamel. For use on prepared steel, aluminium, concrete, timber and other surfaces where performance and durability is paramount.

**Not suitable for areas of continuous immersion.**

COLOURS: 17 standard plus black & white.  
SIZES: 10 litre\*, 4 litre, 2 litre\*, 1 litre, 500ml, 250ml\*\* & 100ml\*\*.

APPLY: Brush, roller or spray.

\*Only available in black & white.

\*\*Available in Fleet Red, Air-sea Orange, Vintage Green, Marker Yellow, Opal White, Port Wine, Teal, Sandstone, Pearl, Reef Blue, Admiralty Blue, Shadow Grey, Pacific Blue, Botany Blue, Gold, Silver, Satin Black, Matt Black, Black & White.



### WEATHERFAST SATIN WHITE

Durable interior - exterior modified low polyurethane. Ideal for surfaces where less reflected light is desirable. Has a classic finish look. **Not suitable for areas of continuous immersion.**

COLOUR: White only.

SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml & 250ml.

APPLY: Brush, roller or spray.



### WEATHERFAST MARINE DECK PAINT

Unique slip resistant coating incorporating plastic granules to provide a uniform paint film for traction when wet. The profile also facilitates easy cleaning. For use on fibreglass, steel, concrete, timber and aluminium decks.  
COLOURS: Arctic white, shoreline cream, horizon blue, squall grey, misty grey, cream & seashell.

SIZES: 4 litre & 1 litre.

APPLY: Brush, roller or spray.



### NORTHANE TESTIMONIAL Received 18/10/2012

"Several weeks ago I began what I now realise was quite a big project in my home which involved removing, sanding and painting my vinyl wrapped kitchen and bathroom cupboards and drawers. SHIPSHAPE PRIMER and NORTHANE were recommended for the job but as a complete novice I needed quite a bit of advice. I phoned your factory and spoke to Brett several times (in fact, probably at least half a dozen times!) to ask for assistance and advice on how best to use your products. I would like to sincerely thank him for his courtesy, knowledge and patience. Never once did he show any sign of annoyance at my rather constant calls over the few days and was extremely knowledgeable on the preparation and use of the paints I was using. I hope this can be passed on to management so that the company is aware of the great job done by those who are the public face of the company. Based on the service I received I would recommend your products to others. I sincerely thank Brett for his help - I'm still putting the cupboards back on but the finish looks great and I am really pleased with the outcome."

Ms. H. Martin

## AEROSOL PAINTS

To compliment our **WEATHERFAST PREMIUM ENAMEL** and **NoRUST** ranges we have added **300g SPRAY CANS**. And look out for **POLY CLEAR GLOSS** and **SATIN** available in spray cans too. Same quality finishes and a new user friendly nozzle.



### TOPFLIGHT ANTI-FOULING

The **premium** longlife copper coating designed to prevent the attachment of marine growth. Provides **maximum** results for moored vessels as well as those exceeding 10 knots. Can be repeatedly scrubbed or wet sanded for a racing finish. **May be left out of the water for up to four weeks without impairing performance.**

COLOURS: Red, black & blue.

SIZE: 4 litre.

APPLY: Brush or roller.

**NOTE: Contains copper. Must not be used on aluminium or its alloys as severe corrosion will result.**



Go to **norglass.com.au** for all the **DATA SHEETS**, **TECHNICAL ADVICE** and **"HOW TO" INFORMATION GUIDES**



## FIBREGLASS | EXTENDERS | SUNDRIES

### GREY-AWAY GRAIN RESTORER

Removes grey oxides from timbers restoring the natural wood grain. An excellent cleaner and stain remover for fibreglass surfaces. CONCENTRATED: Dilute with equal parts fresh water.

SIZES: 5 litre & 1 litre.

### MICROTALC EXTENDER

Fine-textured powder for extending NORSYSTEM to make an economical filler that can be trowelled on, easily sanded and will hold to vertical surfaces.

COLOUR: White powder.

SIZES: 5kg, 1kg & 500g.

### NORCELLS EXTENDER

A blended lightweight extender for NORSYSTEM where flexibility and weight are the main attributes of this product.

COLOUR: White.

SIZES: 2.5kg, 1kg, 500g & 250g.

### FLATTENING AGENT

Fine porous powder designed to absorb the gloss of NORGLASS paint films converting them into a satin finish. Addition rate of 100g for 4 litres of paint, 25g for 1 litre. More or less can be added to achieve the desired gloss level.

COLOUR: White powder.

SIZES: 250g, 100g & 25g.

### GLUE PROMOTER

A fine white powder that can be added to NORSYSTEM to make it into an economical epoxy glue mix.

SIZES: 960g, 240g & 60g.

### CONCRETE AND CERAMIC CLEANER

A fast acting solution to prepare concrete prior to painting. On ceramics, this product will remove foreign matter & stains. Easy to use.

SIZES: 5 litre & 1 litre.

### METAL-ETCH PRE-CLEANER

A specifically designed metal conditioner for pre-treating bare aluminium, galvanised iron and other non-ferrous alloys such as brass, copper and bronze. Easy to use. Brush on and wash off. Thixotropic gel is designed to hold the product on vertical surfaces. Stirring or shaking the contents converts METAL-ETCH into a liquid for hard to reach areas. This product is also an excellent rust remover on steel.

COLOUR: Green gel.

SIZES: 4 litre & 1 litre.

APPLY: Brush, roller or sponge.

## ORANGE-PEEL GEL PAINT STRIPPER

NORGLASS has released a citrus style paint stripper using the latest technology in resins and additives.

ORANGE-PEEL features include:

- Holds on to vertical surfaces
- Removes multiple paint layers
- Cleans up with water
- Evaporates slowly
- Works faster than other citrus style paint strippers
- Does NOT contain Methylene Chloride
- Can be used indoors and outdoors

ORANGE-PEEL is suitable for:

- Polyurethanes
- Epoxies
- Enamels
- Clears
- Single and 2 pack products
- Water based paints

AVAILABLE IN SIZES: 10 litre, 4 litre, 1 litre & 500ml.

### SLIP RESISTANT AGENT

Plastic, non-settling granules that can be incorporated in most types of paint finishes (except high-gloss paints) increase slip resistance. Uniform particle size gives a professional finish to all coatings. Can also be used in clear satin varnishes at reduced levels of addition.

COLOUR: White powder.

SIZES: 200g for 4 litres of paint & 50g for 1 litre of paint.

### FIBREGLASS REPAIR KIT

A comprehensive DIY pack including 250ml POLYESTER RESIN with CHOPPED STRAND MATT (150mmx1m), CATALYST, mixing sticks, mixing vessels, brush and talc for on-the-spot repairs. Full instructions included. For a variety of household, marine and general repair work.

### FIBREGLASS CLOTH AND TAPES

Scrim-weave, glass fabric for reinforcing NORGLASS LIQUID GLASS, NORSYSTEM or POLYESTER RESINS. Used for general repair work as well as strengthening timber, fibreglass and other surfaces.

SIZES:

CLOTH available in 1m<sup>2</sup> & .5m<sup>2</sup> packs.

TAPE widths of 100mm, 75mm & 50mm are in roll lengths of 50 metres.

CHOPPED STRAND MATT available in 1m<sup>2</sup> & .5m<sup>2</sup>.

Magnified weave texture

## THINNERS | CLEARS

### NORCLEAN - PLUS

A 100% pure cleaning solvent that leaves the surface "squeaky clean" with no residue.

Economical to use. **Clean is green.**

SIZES: 20 litre, 4 litre & 1 litre.

### WEATHERFAST SPRAYING THINNERS

Blended thinner formulated for use with all WEATHERFAST products. NoRUST PRIMER, PRI-COAT, PREMIUM GLOSS, DECK PAINT, SATIN WHITE, MICROSHIELD VARNISH, POLY CLEARS and PAVING PAINTS.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

### WEATHERFAST BRUSHING THINNERS

Retarder-thinner for WEATHERFAST products. NoRUST PRIMER, PRI-COAT, PREMIUM GLOSS, DECK PAINT, SATIN WHITE, MICROSHIELD VARNISH, POLY CLEARS and PAVING PAINTS to slow the drying rate and to improve brushability. Also used as a clean-up solvent for WEATHERFAST products.

SIZES: 4 litre, 1 litre & 500ml.

### ACETONE

Fast-evaporating, economical cleaning solvent for many surfaces. Also a clean-up solvent for NORGLASS POLYESTER RESIN.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

### EPOXY THINNER

Slow-evaporating solvent for thinning and cleaning up after using NORGLASS EPOXY products.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

### NORTHANE SPRAYING THINNERS

Formulated blend of solvents specifically designed for use with NORGLASS NORTHANE, NORSHIELD PRIMER and SHIPSHAPE PRIMER-UNDERCOAT. Can also be used as a clean-up solvent for these products.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

### NORTHANE BRUSHING THINNERS

Retarder-thinner for NORTHANE, to slow the drying rate and improve brushability.

SIZES: 4 litre, 1 litre & 500ml.

### MICROSHIELD PREMIUM VARNISH

**Traditional Marine Spar Varnish** with a super high gloss finish with maximum state of the art U/V inhibitors and stabilisers for areas of extreme exposure. Ideal for panelling, doors, hand rails and general varnish work.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre & 500ml.

APPLY: Brush, roller or spray.

### WEATHERFAST POLY CLEAR GLOSS

Tough abrasion resistant gloss coating with high levels of U/V inhibitors for interior and exterior use. Ideal for floors, furniture and marine applications. Fast drying, low odour properties an advantage for interior use.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml & 250ml.

APPLY: Brush, roller or spray.

### WEATHERFAST POLY CLEAR SATIN

Tough low odour satin lustre for furniture, walls, panelling, floors, cork and parquet.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml & 250ml.

APPLY: Brush, roller or spray.

### WEATHERFAST PREMIUM TIMBER OIL

Modified low odour synthetic resin coating for feeding the timber where a natural grain appearance is desired. Contains U/V inhibitors for additional protection. Fast drying and does not leave a greasy film. Excellent penetration into open grained woods. For use on decks, floors, and furniture.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 1 litre & 500ml.

APPLY: Brush, cloth pad or roller.

### NORTHANE CLEAR GLOSS AND SATIN

2 pack, non-yellowing linear polyurethane with outstanding chemical and abrasion resistance. Non toxic cured film. Ideal for waterproofing fish ponds and fountains. May be used in continuously immersed conditions. Excellent heat resistance and durability makes this a premium clear coating. Ideal on surfaces where graffiti is a potential problem. Graffiti can easily be removed with solvents without damage to the NORTHANE CLEAR. For use on floors, furniture and exterior applications.

COLOUR: Water clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre & 500ml packs.

APPLY: Brush, roller or spray.

### NORTHANE ULTRA HIGH GLOSS

in reef blue and white transform this caravan





## AMAZING PROJECTS MADE WITH NORGLASS PRODUCTS



### DIAMOND JUBILEE STATE COACH

10 NORGLASS products were used to provide the ultimate finish on the Diamond Jubilee State Coach built by Jim Frecklington and presented to Her Majesty Queen Elizabeth II in 2014



### ANZAC CENTENNIAL GUN

In commemoration of the centenary of World War I, the Royal Australian Artillery Historical Company restored their 18 Pounder Gun and Limber for use as an active display that can be used throughout the country. Several NORGLASS products were used in the restoration. completed by Jim Frecklington.




### STEAM ENGINE

Built in Lincolnshire, England circa 1903, this Clayton & Shuttleworth Portable Steam Engine was restored by the Cowra Men's Shed using NORGLASS WEATHERFAST PREMIUM ENAMEL.



### ROYAL AIRCRAFT FACTORY BE2a c.1912

Every wooden part of this construction (except for the propeller) has been preserved using the NORGLASS NORSEAL WOOD TREATMENT.



BEFORE



AFTER

### BEFORE & AFTER BOAT

Restored in Swansea NSW using NORGLASS WEATHERFAST PREMIUM ENAMEL in White and Admiralty Blue for the exterior, and Misty Grey non-slip for the insides.

### DOING A PROJECT USING NORGLASS PRODUCTS?

Share a pic of your pride and joy and it just may make it onto the pages of our catalogue! Email your photos and a brief description, including what NORGLASS products you used to [norglass@bigpond.net.au](mailto:norglass@bigpond.net.au)