

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Microtalc

Item Code: 4013

Product Use: General Purpose Filler Additive

Restriction of Use: Refer to Section 15

Australian Supplier: Norglass Paints

Address: 59 Moxon Road

Punchbowl NSW 2196 Australia

Telephone: +61 2 9708 2200

Email: info@norglass.com.au

New Zealand Supplier: xxx Address: xxx xxx

Telephone: 0508 724687

Emergency Numbers:

Australia: 13 1126 (Poisons Information Centre)
New Zealand: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 10 December 2018 v2

Section 2. Hazards Identification

Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

New Zealand:

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: Additives, Process Chemicals and Raw Materials (subsidiary) – HSR002503

Pictograms



Irritant

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A

Product Name: Microtalc Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 10 December 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 1

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Silica	50-60	Proprietary
Magnesia	30-35	1309-48-4
Alumina	10-15	1344-28-1

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Take off contaminated clothing and

wash before re-use. If skin irritation occurs: get medical advice/attention.

If Swallowed Rinse mouth. Never give anything to the mouth of an unconscious person.

If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call

a POISON CENTER or doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be harmful if swallowed.

Inhalation: Not applicable. **Skin:** Not applicable.

Eye: Causes serious eye irritation.

Chronic: Not applicable.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from	Unknown

Product Name: Microtalc Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 10 December 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

combustion products	
Suitable Extinguishing media	Use media suitable for surrounding materials
Precautions for firefighters and special protective clothing	Wear full body protection clothing.
HAZCHEM CODE	None Allocated

Section 6. Accidental Release Measures

Personal precautions:

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Notify authorities if product enters sewers or public waters.

Spill and Disposal procedures:

Carefully pick up or sweep up material and seal in properly labelled drums for disposal or recycle. Dispose according to Local Regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- · Keep out of reach of children.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA ppm	mg/m³	STEL ppm	mg/m³
Magnesium oxide fume [1309-48-4]	-	10	-	-
Aluminium oxide [1344-28-1]	-	10(d)	-	-

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Local ventilation is necessary to control air contamination.

Personal Protection Equipment



Eyes	Wear safety goggles with side shields. Avoid wearing contact lenses.	

Product Name: Microtalc Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 10 December 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Page 3

Hands and	Wear protective gloves and overalls.	
Skin		
Respiratory	If ventilation is not adequate then wear a respirator to the requirements of	
	AS1715 and AS1716.	
General	Observe good standards of hygiene and cleanliness.	

Section 9 Physical and Chemical Properties

Appearance	Off White Powder
Odour	Not available
Odour Threshold	Not available
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower	Not available
Exposure Limits	
Volatile Component	Not available
Vapour Pressure	Not available
Specific Gravity	Not available
Solubilities	Insoluble
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	None known.
Incompatible Materials	None known.
Hazardous Decomposition	None known.
Products	

Section 11 Toxicological Information

Acute Effects:

Swallowed	May be harmful if swallowed.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes severe eye irritation.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Product Name: Microtalc
Date of SDS: 10 December 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Section 12. Ecotoxicological Information

This product is not known to be hazardous to the environment.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method: Triple rinse and dispose of according to Local Regulations.

Precautions and methods to avoid: None known.

Section 14 Transport Information

This product is NOT classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2012

Section 15 Regulatory Information

Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

<u>NOT</u> Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

New Zealand:

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Additives, Process Chemicals and Raw Materials (subsidiary) - HSR002503

HSNO Classification: 6.1E(oral), 6.4A

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

Section 16	Other Information
Glossary	
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms
	inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.

Product Name: Microtalc Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 10 December 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

Australia:

- 1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- 2. National Industrial Chemicals Notification and Assessment Scheme (NICNAS).
- 3. Standard for the Uniform Scheduling of Medicines and Poisons.
- 4. Australian Code for the Transport of Dangerous Goods by Road & Rail.
- 5. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- 6. Workplace exposure standards for airborne contaminants, Safe work Australia.
- 7. American Conference of Industrial Hygienists (ACGIH).
- 8. Globally Harmonised System of Classification and Labelling of chemicals.

New Zealand:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian Manufacturer or New Zealand distributor, if further information is required.

Issue Date: 10 December 2018 Review Date: 10 December 2023

Product Name: Microtalc Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 10 December 2018 Tel: 64 9 475 5240 www.techcomp.co.nz